

Name:

Date:

P5 - Test 7  
FORCES  
Advanced

**GCSE**

PHYSICS

AQA - Triple Science

Mark

Grade

---

### Materials

For this paper you must have:

- Ruler
- Pencil and Rubber
- Scientific calculator, which you are expected to use when appropriate

### Instructions

- Answer all questions
- Answer questions in the space provided
- All working must be shown

### Information

- The marks for the questions are shown in brackets

1.


- (a) **Figure 1** shows an aircraft flying at a constant velocity and at a constant height above the ground.

**Figure 1**



Complete the free body diagram in **Figure 2** to show the other two forces acting on the aircraft.

**Figure 2**



(2)

- (b) A small aircraft accelerated down a runway at  $4.0 \text{ m/s}^2$

The aircraft started from rest and reached a speed of  $34 \text{ m/s}$  just before take-off.

Calculate the distance the aircraft travelled while accelerating.

Give your answer to 2 significant figures.

---

---

---


---

Distance = \_\_\_\_\_ m

(4)

(c) **Figure 3** shows the small aircraft being used to tow a glider.

**Figure 3**



The tension force in the cable can be resolved into a horizontal component and a vertical component.

The tension in the cable is 2000 N

The cable makes an angle of  $20^\circ$  with the horizontal.

Draw a vector diagram to determine the magnitude of the two components of the tension force in the cable.

Magnitude of the horizontal component = \_\_\_\_\_ N

Magnitude of the vertical component = \_\_\_\_\_ N


(1)

(Total 10 marks)

2.

The diagram below shows an unusually shaped container.

The container has four vertical tubes of different shape and size.



Water is poured into the container up to the level shown in tube 1.

(a) Complete the diagram above to show the height of the water in tubes 2, 3 and 4.

(1)

(b) The further a swimmer dives below the surface of the sea, the greater the pressure on the swimmer.

Explain why.

---

---

---

---

(2)

(c) A person swims from a depth of 0.50 m to a depth of 1.70 m below the surface of the sea.

density of the sea water =  $1030 \text{ kg/m}^3$

gravitational field strength =  $9.8 \text{ N/kg}$

Calculate the increase in pressure on the swimmer.

Give the unit.

Use an equation from the Physics Equation Sheet.

---

---

---

---

Increase in pressure = \_\_\_\_\_ Unit \_\_\_\_\_


**(4)**  
**(Total 7 marks)**

3.

A train travels from town **A** to town **B**.

**Figure 1** shows the route taken by the train.

**Figure 1** has been drawn to scale.



- (a) The distance the train travels between **A** and **B** is not the same as the displacement of the train.

What is the difference between distance and displacement?

---

---

---

(1)

- (b) Use **Figure 1** to determine the displacement of the train in travelling from **A** to **B**.

Show how you obtain your answer.

---

---

Displacement = \_\_\_\_\_ km

Direction = \_\_\_\_\_

(2)

(c) There are places on the journey where the train accelerates without changing speed.

Explain how this can happen.

---

---


---

---

**(2)**

- (d) **Figure 2** shows how the velocity of the train changes with time as the train travels along a straight section of the journey.

**Figure 2**



Estimate the distance travelled by the train along the section of the journey shown in **Figure 2**.

To gain full marks you must show how you worked out your answer.

---

---

---

---


Distance = \_\_\_\_\_ m

**(3)**  
**(Total 8 marks)**



4.

The diagram below shows a person using a device called a jetpack. Water is forced downwards from the jetpack and produces an upward force on the person.



(a) State the condition necessary for the person to be able to remain stationary in mid-air.

---

---

(1)

(b) The person weighs 700 N and the jetpack weighs 140 N.

(i) Calculate the combined mass of the person and the jetpack.

Gravitational field strength = 10 N/kg

---

---

---

Combined mass = \_\_\_\_\_ kg

(2)

- (ii) Increasing the upward force to 1850 N causes the person to accelerate upwards.

Calculate the acceleration of the person and the jetpack. Give the unit.

---

---

---

---

Acceleration = \_\_\_\_\_ Unit \_\_\_\_\_

(3)

(Total 6 marks)

5.

- (a) A car driver sees the traffic in front is not moving and brakes to stop his car.

The stopping distance of a car is the thinking distance plus the braking distance.

- (i) What is meant by the 'braking distance'?

---

---

(1)

- (ii) The braking distance of a car depends on the speed of the car and the braking force.

State **one** other factor that affects braking distance.

---

---

(1)


- (iii) How does the braking force needed to stop a car in a particular distance depend on the speed of the car?

---

---

(1)

- (b) **Figure 1** shows the distance–time graph for the car in the 10 seconds before the driver applied the brakes.



Use **Figure 1** to calculate the maximum speed the car was travelling at.  
Show clearly how you work out your answer.

---




---

Maximum speed = \_\_\_\_\_ m / s

(2)

- (c) The car did not stop in time. It collided with the stationary car in front, joining the two cars together.

**Figure 2** shows both cars, just before and just after the collision.



(i) The momentum of the two cars was conserved.

What is meant by the statement 'momentum is conserved'?

---

---

(1)

(ii) Calculate the velocity of the two joined cars immediately after the collision.

---

---

---

---

---

---

Velocity = \_\_\_\_\_ m/s

(3)

(d) Since 1965, all cars manufactured for use in the UK must have seat belts.

It is safer for a car driver to be wearing a seat belt, compared with not wearing a seat belt, if the car is involved in a collision.

Explain why.

---

---

---

---

---

---

---

---

---

---


(4)

(Total 13 marks)

6.

A bus is taking some children to school.

(a) The bus has to stop a few times. The figure below shows the distance–time graph for part of the journey.



(i) How far has the bus travelled in the first 20 seconds?

Distance travelled = \_\_\_\_\_ m

(1)

(ii) Describe the motion of the bus between 20 seconds and 30 seconds.

---



---

(1)

(iii) Describe the motion of the bus between 30 seconds and 60 seconds.

Tick (✓) **one** box.

	Tick (✓)
Accelerating	
Reversing	
Travelling at constant speed	

(1)

(iv) What is the speed of the bus at 45 seconds?

Show clearly on the figure above how you obtained your answer.

---

---

---

Speed = \_\_\_\_\_ m / s

**(3)**

(b) Later in the journey, the bus is moving and has 500 000 J of kinetic energy.

The brakes are applied and the bus stops.

(i) How much work is needed to stop the bus?

---

Work = \_\_\_\_\_ J

**(1)**

(ii) The bus stopped in a distance of 25 m.

Calculate the force that was needed to stop the bus.

---

---

Force = \_\_\_\_\_ N

**(2)**

(iii) What happens to the kinetic energy of the bus as it is braking?

---

---


---

---

**(2)**

**(Total 11 marks)**

**7.** The diagram shows a spanner being used to undo a tight nut.



The nut was tightened using a moment of 120 newton metres.

Calculate the force needed to undo the nut. Show clearly how you work out your answer.

---



---

Force = \_\_\_\_\_ N

**(Total 2 marks)**

**8.** The table contains typical data for an oil tanker.

	Mass	56 000 000 kg
	Cruising speed	12 m/s
	Deceleration force	392 000 N
	Stopping distance	10 000 m

(i) Write down the equation which links acceleration, force and mass.

---

**(1)**

(ii) Calculate the deceleration of the oil tanker. Show clearly how you work out your answer.

---



---



---

Deceleration = \_\_\_\_\_ m/s<sup>2</sup>

**(2)**

**(Total 3 marks)**

9.

A paintball gun is used to fire a small ball of paint, called a paintball, at a target.

The figure below shows someone just about to fire a paintball gun.

The paintball is inside the gun.



(a) What is the momentum of the paintball before the gun is fired?

\_\_\_\_\_

Give a reason for your answer.

\_\_\_\_\_

\_\_\_\_\_

(2)

(b) The gun fires the paintball forwards at a velocity of 90 m / s.

The paintball has a mass of 0.0030 kg.

Calculate the momentum of the paintball just after the gun is fired.

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Momentum = \_\_\_\_\_ kg m / s

(2)



(c) The momentum of the gun and paintball is conserved.

Use the correct answer from the box to complete the sentence.

<b>equal to</b>	<b>greater than</b>	<b>less than</b>
-----------------	---------------------	------------------

The total momentum of the gun and paintball just after the gun is fired will be \_\_\_\_\_ the total momentum of the gun and paintball before the gun is fired.

(1)  
(Total 5 marks)

**10.**

The figure below shows a skateboarder jumping forwards off his skateboard.

The skateboard is stationary at the moment the skateboarder jumps.



(a) The skateboard moves backwards as the skateboarder jumps forwards.

Explain, using the idea of momentum, why the skateboard moves backwards.

---

---

---

---

---

---

---

---

---

---

(3)

(b) The mass of the skateboard is 1.8 kg and the mass of the skateboarder is 42 kg.

Calculate the velocity at which the skateboard moves backwards if the skateboarder jumps forwards at a velocity of 0.3 m / s.

---

---

---

---

---

---

---

Velocity of skateboard = \_\_\_\_\_ m / s

**(3)**

**(Total 6 marks)**